

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCI United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FI	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/899,843	9,843 07/09/2001		Eilon Riess	11927/46101	6082	
23838	7590	07/26/2006		EXAM	EXAMINER	
KENYON &	KENY	ON LLP	THANGAVELU, KANDASAMY			
1500 K STRE	ET N.W	•				
SUITE 700				ART UNIT	PAPER NUMBER	
WASHINGTO	ON, DC	20005	2123			

DATE MAILED: 07/26/2006

Please find below and/or attached an Office communication concerning this application or proceeding.



## UNITED STATES DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION		ATTORNEY DOCKET NO.
09 1895-84	£3			
			EXAMINER	
			ART UNIT	PAPER
				20060724

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

The Examiner is submitting this correspondence to clarify the issues regarding applicant's "COMMENTS ON STATEMENT OF REASONS FOR ALLOWANCE". The papers filed on 5/10/06 were inadvertently labeled as an amendment under 37 CFR 1.312, which prompted the examiner to submit a "Response to Rule 312 Communication" submitted 7/3/06.

While the Examiner stands by the previous reasons for allowance, applicant's comments submitted 5/10/06 are in accordance with the practices and procedures set forth in chapter 1302.14 of the MPEP. The response has been re-designated in the file as "Response to Reasons for Allowance", comments have been made of record and the Response to Rule 312 has been withdrawn from the application.

The Examiner would like to apologize for any inconvenience or confusion that the document mislabeling may have caused.

PAUL RODRIGUEZ SUPERVISORY PATENT EXAMINER

**TECHNOLOGY CENTER 2100**